

Production

- Grass Valley K-Frame Switcher
- Karrera 3-Stripe 35-Button Control Panel
- 3.5 M/Es available, 64 input, 48 output
- FlexiKey, Double Take, and Chroma Key
- (4) iDPMs
- ImageStore

Record & Playback

- (2) EVS XT2+ 6ch LSM
- (1) EVS XT2+ 4ch Spot Box/RO
- (1) EVS XFile 3

Camera Equipment

- (6) Grass Valley LDX80 Premiere
- (3) Grass Valley Super XPanders w/7" Viewfinders
- (1) Canon 86x9.3 HD Lens
- (2) Canon 72x9.3 HD Lens
- (2) Canon 22x7.6 ENG Lens
- (1) Canon 11x4.7 Wide Angle Lens
- **Wired for 8 CCU's**

*Grass Valley LDK 4426 Single Mode Triax
Adaptors available upon request*

Audio Facilities

- Calrec Summa Digital Mixing Console Bluefin 2
- 48 Fader / 180 DSP's
- 64 x 64 Analog
- 12 x 12 AES Channels
- 320 x 320 MADI Channels
- 64 x 64 Dante

Communications

- 150 x 150 RTS ADAM-M Digital Matrix Including:
- 16 Rvon CHs, 16 MADI CHs, 64 OMNEO CHs 6
- 8 Powered Intercom Channels
- 8 Powered IFB Channels
- (11) Dual Listen BP325 Boxes
- (9) IFB 4030 Boxes
- (9) Single Muff Headsets
- (3) Double Muff Headsets
- (8) Telephone Interface
- (3) QKT Couplers

Routing & Terminal

- NVision NV8280 3G/HD Router (192x252)
- 48x48 Embedding, Dis-embedding
- (20) Cobalt 9902 U/D/C Frame Syncs
- 160x32 Multiview Capacity

A/V Support

- (5) HMD26 Annc Headsets
- (5) Studio Tech Annc Boxes
- (5) MD46 Stick Mics
- (4) MKH416 Shotgun Mics
- (4) MKH807 Long Shotgun Mics
- (4) MKH418 Stereo Shotgun Mics
- (4) 15" SDI Monitors
- (4) 21" SDI Monitors
- (2) LED Light Kits

Cable Inventory


- 5500' Triax Cable
- 1 Triax Mult
- 2100' DT-12 Cable
- (1) 250' TAC-12 Fiber
- (3) 450' TAC-12 Fiber
- (2) 1000' TAC-12 Fiber

Power Requirements

- 1 Phase, 200 Amps, 208 Volts
- 2 Hot Legs, 1 Ground, (No neutral required)
- 150' feeder cable with camlock connectors

Truck Dimensions

- Dimensions - 40' L, 21' W, 13.5' H working footprint
- 65' Overall Length, 65,000 Pounds GVW



1-1	1-2	1-3	3-1	3-2	3-3	5-1	5-2	5-3	7-1	7-2	7-3
1-4	1-5	2-1	3-4	3-5	4-1	5-4	5-5	6-1	7-4	7-5	8-1
2-2	2-3	2-4	4-2	4-3	4-4	6-2	6-3	6-4	8-2	8-3	8-4
<small>MV 102</small>			<small>MV 204</small>			<small>MV 306</small>			<small>MV 708</small>		
9-1	9-2	9-3	11-1	11-2		13-1	13-3		15-1	15-2	15-3
9-4	9-5	10-1	11-4				14-1		15-4	15-4	16-1
10-2	10-3	10-4	12-2	12-3	12-4	14-2	14-3	14-4	16-2	16-3	16-4
<small>MV 910</small>			<small>MV 1102</small>			<small>MV 1304</small>			<small>MV 1506</small>		

Technical Director

Director

Producer

AD-1

CCU 01 -	FSY 01 -	FSY 13 -	EVS 1-1 -	AUX 01 -
CCU 02 -	FSY 02 -	FSY 14 -	EVS 1-2 -	AUX 02 -
CCU 03 -	FSY 03 -	FSY 15 -	EVS 2-1 -	AUX 03 -
CCU 04 -	FSY 04 -	FSY 16 -	EVS 2-2 -	AUX 04 -
CCU 05 -	FSY 05 -	FSY 17 -	CG A-1 -	AUX 05 -
CCU 06 -	FSY 06 -	FSY 18 -	CG A-2 -	AUX 06 -
CCU 07 -	FSY 07 -	FSY 19 -	CG B-1 -	AUX 07 -
CCU 08 -	FSY 08 -	FSY 20 -	CG B-1 -	AUX 08 -
	FSY 09 -		S	ME 1 -
	FSY 10 -		VT 6 -	ME 2 -
	FSY 11 -			ME 3 -
	FSY 12 -			ME 4 -