

### Production

Grass Valley K-Frame 3G Switcher  
- Kayenne 4 Stripe 35 Button Panel  
5 M/E, 64 Inputs, 36 Outputs  
FlexiKey, Double Take and Chroma Key  
12- IDPM, 4- EDPM and 2D DPM  
Image Store w/movies

### Record & Playback

(2) EVS XT3 6ch LSM Servers  
(1) EVS XT3 4ch RO/Spotbox w/Lance Controller  
(1) EVS Xfile 3  
(1) EVS X-file3 w/ 10G File Network  
Wired for (5)EVS

### Camera Equipment

(7) Grass Valley LDX 80 Elite 3G Cameras  
(7) Grass Valley LDX 3G Fiber/Triax Base Stations  
(5) Grass Valley Super XPanders w/7" Viewfinders  
(4) Fujinon 72 x 9.3 HD Lens  
(1) Fujinon 88 x 8.8 HD Lens  
(1) Fujinon 22 x 7.8 Servo Zoom Lens  
(1) Fujinon 18 x 7.6 Servo Zoom Lens  
(1) Fujinon 13x4.5 Wide Angle Lens  
(5) Vinten Vector 70 Pan Heads w/Tripods  
(3) Cartoni Gamma ENG Pan Heads w/Tripod

*Grass Valley LDK 4426 Fiber to Triax Adaptor available upon request*

### Audio

Calrec Artemis Light Bluefin 2  
-56 Fader Digital Audio Console  
-64x64 Analog  
-64x64 AES  
-256x256 Mono Madi Channels

*Hydra 2 - 24 x 8 Fiber Audio Field Boxes  
Dante Fiber Audio Booth system available upon request*

### Communications

160 x 160 RTS Adam Matrix Intercom Including  
-16 Rvon CHs, 32 MADI CHs  
- 8 Powered PL Channels  
- 6 Powered IFB Channels  
(12) Dual Listen BP325 Boxes  
(6) IFB 4030 Boxes  
(12) Single Muff Headsets  
(4) Dual Muff Headsets  
(4) RTS Telephone Interfaces  
(4) QKT Audio Couplers

### Routing & Terminal

Evertz EQX 3G Video Router (280x458)  
Includes:  
-16x16 Fiber to External I/O  
-18 Internal Frame Syncs  
Evertz EMR Audio Router  
-1024x1024 Madi  
-96x96 Mono AES  
-192x384 Mono Analog  
(15) For-A U/D/C Frame Syncs w/Color Correction  
(8) TX Processors w-U/D/C  
246x32 Multiview Capacity

### A/V Support

(5) HMD26 Annc Headsets  
(5) Studio Tech Annc Boxes  
(5) MD46 Stick Mics  
(4) MKH416 Shotgun Mics  
(4) MKH807 Long Shotgun Mics  
(4) MKH418 Stereo Shotgun Mics  
(4) 15" SDI Monitors  
(4) 21" SDI Monitors  
(2) LED Light Kits

### Cable Inventory


7000' Triax  
1200' DT12 Audio Mult  
1000' 6 Pair Audio Snake  
1000' Audio Cable  
1000' Single Coax  
2 125' 10 Wire Coax Loom  
2-500', 5-250'. 3-100' TAC 12 Fiber Cable  
2-500' TAC 6 Fiber Cable  
6 500', 3-100' TAC 4 Fiber Cable

### Power Requirements

Three Phase, 190-240 Volts, 200A/Leg  
-200' Feeder Cable

### Truck Dimensions

43'L x 8.5'W with 36'L x 5'W Expansion  
78' Overall Length, 80,000# GVW



MONITOR 1A				MONITOR 2A				MONITOR 3A				MONITOR 4A				MONITOR 9A (P2-CG)					
										12:00PM									12:00PM		
1	2	3	4	1	2	3	4	1	2		3	4	1	2	3	4			2		
				12:00PM																	
5	6	7	8	PROGRAM		5	6	PROGRAM	PREVIEW							10	11	12	3	4	5
9	10	11	12	7	8	9		10	11				13	14	15	16	6	7	8		
MONITOR 5A				MONITOR 6A				MONITOR 7A				MONITOR 8A				MONITOR 9A (P3-BUG)					
																		12:00PM			
1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	5	1		2		
5	6	7	8	5	6	7	8	5	6	7	8						3	4	5		
9	10	11	12	9	10	11	12	9	10	11	12	16	12:00PM				6	7	8		

SWITCHER INPUTS

SWITCHER OUTPUTS

SWITCHER GPO's

IN	Default	Show Name	Operator	Source	IN	Default	Show Name	Operator	Source	OUT	Default	OUT	Default
1	CAM 1				25	EVS 2B				1	SS-1	25	AUX-7
2	CAM 2				26	EVS 3A				2	SS-2	26	AUX-8
3	CAM 3				27	EVS 3B				3	SS-3	27	AUX-9
4	CAM 4				28	EVS 4A				4	SS-4	28	AUX-10
5	CAM 5				29	EVS 4B				5	SS-5	29	AUX-11
6	CAM 6				30	EVS 5A				6	SS-6	30	AUX-12
7	CAM 7				31	EVS 5B				7	SS-7	31	AUX-13
8	CAM 8				32	CG 1 F				8	SS-8	32	AUX-14
9	CAM 9				33	CG 1 K				9	ME 1 PGM	33	AUX-15
10	CAM 10				34	CG 2 F				10	ME 1 PVW	34	AUX-16
11	CAM 11				35	CG 2 K				11	ME 2 PGM	35	AUX-17
12	CAM 12				36	CG 3 F				12	ME 2 PVW	36	AUX-18
13	CAM 13				37	CG 3 K				13	ME 3 PGM	37	AUX-19
14	CAM 14				38	BUG 1 F				14	ME 3 PVW	38	AUX-20
15	CAM 15				39	BUG 1 K				15	PROGRAM	39	AUX-21
16	CAM 16				40	BUG 2 F				16	CLEAN	40	AUX-22
17	VTR A				41	BUG 2 K				17	PREVIEW	41	AUX-23
18	VTR B				42	TELE F				18	PRESET	42	AUX-24
19	VTR C				43	TELE K				19	AUX-1	43	AUX-25
20	VTR D				44	RTR FEED				20	AUX-2	44	AUX-26
21	VTR E				45	RTR FEED				21	AUX-3	45	AUX-27
22	EVS 1A				46	LHN4			LHN4	22	AUX-4	46	ME 1 CLN
23	EVS 1B				47	BLACK				23	AUX-5	47	ME 2 CLN
24	EVS 2A				48	BARS				24	AUX-6	48	ME 3 CLN

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	

>PGM 2 IS USED FOR TX  
>SWITCHER OUT 16 IS CLEAN