

### Production

- Grass Valley K-Frame 3G Switcher
- Kayenne 4 Stripe 35 Button Panel
- 9 M/E, 176 Inputs, 64 Outputs
- FlexiKey, Double Take and Chroma Key
- 12- IDPM, 4- EDPM and 2D DPM
- Image Store w/movies
- M/E View Enabled, RGB Color Corrector

### Record & Playback

- (3) EVS XT3 LSM 12 Ch Servers with Dual User
- (1) EVS XT3 12Ch LSM w/ Dual User Spotbox (4 ch) and Lance Controller
- (1) EVS X-file3 w/10G File Network
- (1) EVS Via Xhub
- Wired for (10) EVS*

### Camera Equipment

- (12) Sony HDC3500 UHD-HDR Cameras
  - (7) Sony HDLA1500 Large Lens Adaptors
    - w/7" OLED Color Viewfinders
  - (2) Fujinon 107x8.4 UHD Lens w/Stabilizer
  - (3) Fujinon 99x8.4 Lens w/Stabilizers
  - (2) Fujinon 80x9 UHD Lens w/Stabilizers
  - (2) Fujinon 22x7.6 Servo Zoom Lens
  - (2) Fujinon 18x5.5 Servo Zoom Lens
  - (2) Fujinon 14x4.5 Wide Angle Lens
  - (7) Vinten Vector 70 Pan Heads w/Tripods
  - (4) Cartoni Gamma Pan Heads w/Tripods
- \*\*Wired for 20 CCU's\*\**

### Audio Facilities

- Calrec Apollo Digital Audio Console w/Concord
- 144 Faders, 12 Dual Fader Layers
- 148x148 Analog
- 128x128 AES
- 512x512 Madi
- 64x64 DANTE Channels
- Waves Broadcast Suite Software
- (2) Neural Down Mix Encoders
- (2) Neural Up Mix Decoders
- (2) Neural Stereo Synthesizers
- (1) Neural ILM 8 Loudness Meter

### Communications

- 256x256 RTS Adam Matrix Intercom Including
- 64 OMNEO CH's,
- 16 RVON CH
- 64 MADI Channels
- 12 Powered PL Channels
- 12 Powered IFB Channels
- (4) RTS Telephone Interfaces
- (4) QKT Audio Couplers
- (20) RTS BP325 Intercom Belt Packs
- (12) RTS 4030 IFB Belt Packs
- (20) Beyer DT108 Single Muff Headset
- (10) Beyer DT109 Dual Muff Headsets
- (4) Ring Downs

### Routing & Terminal

- Evertz EQX 3G Video Router (280x474)
- 128x112 Embedding/Dis-embedding
- 56x44 Fiber to External I/O
- 16x8 Muxed to/from B Unit
- 8x8 Muxed to/from Booth
- 8x8 to/from Field
- Evertz EMR Audio Router
- 1152x1152 Madi
- 192x192 Mono AES
- 96x96 Mono Analog
- 1792x2048 Embed/De-Embed
- (30) For-A U/D/C Frame Syncs w/ Color Correction
- 246x32 Multiview Capacity

### A/V Support

- (6) HMD26 Annc Headsets
- (6) Studio Tech Annc Boxes
- (6) MD46 Stick Mics
- (6) MKH416 Shotgun Mics
- (6) MKH807 Long Shotgun Mics
- (6) MKH418 Stereo Shotgun Mics
- (4) 15" SDI Monitors
- (4) 21" SDI Monitors
- (2) LED Light Kits

### Cable Inventory


- 7000' SMPTE
- (2) 150' 6 Wire SMPTE Looms
- 3000' DT12 Audio Mult
- 1000' 6 Pair Audio Snake
- 500' 2 Pair Audio Snake
- 5000' Audio Cable, 4500' Single Coax
- (6) 75' 10 Wire Coax Looms
- (4) 175' 5 Wire Coax Looms

### Power Requirements

- Three Phase, 190-280 Volts, 200A Service
- 200' Feeder Cable

### Truck Dimensions

- 53'L x 8.5'W with 49'L x 5'W Expansion 78'
- Overall Length, 80,000# GVW





MONITOR 1A				MONITOR 2A				MONITOR 3A				MONITOR 4A							
										12:00PM								12:00PM	
1	2	3	4	1	2	3	4	1	2			3	4	1	2	3	4		
				12:00PM															
5	6	7	8	PROGRAM		5	6	PROGRAM	PREVIEW								10	11	12
9	10	11	12	7	8	9					10	11	13	14	15	16			

MONITOR 5A				MONITOR 6A				MONITOR 7A				MONITOR 8A						
1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	5		
5	6	7	8	5	6	7	8	5	6	7	8							
												11	12	13	14	15		
9	10	11	12	9	10	11	12	9	10	11	12	16	12:00PM					

MONITOR 9A (P2-CG)

	12:00PM	
1		2
3	4	5
6	7	8

MONITOR 9B (P3-BUG)

	12:00PM	
1		2
3	4	5
6	7	8

SWITCHER INPUTS

IN	Default	Show Name	Operator	Source	IN	Default	Show Name	Operator	Source	IN	Default	Show Name	Operator	Source	IN	Default	Show Name	Operator	Source
1	CAM 1				25	VTR A				49	EVS 8A				73	FS 20			
2	CAM 2				26	VTR B				50	EVS 8B				74	FS 21			
3	CAM 3				27	VTR C				51	EVS 9A				75	FS 22			
4	CAM 4				28	VTR D				52	EVS 9B				76	FS 23			
5	CAM 5				29	VTR E				53	EVS 10A	SPOT A			77	FS 24			
6	CAM 6				30					54	EVS 10B	SPOT B			78	FS 25			
7	CAM 7				31					55	EVS 10C	SPOT C			79	FS 26			
8	CAM 8				32					56	EVS 10D	SPOT D			80	FS 27			
9	CAM 9				33	CS 1F	SPOT E			57	FS 1				81	FS 28			
10	CAM 10				34	CS 1K	SPOT F			58	FS 2				82	CG 1A F			
11	CAM 11				35	EVS 1A				59	FS 3				83	CG 1A K			
12	CAM 12				36	EVS 1B				60	FS 4				84	CG 1B F			
13	CAM 13				37	EVS 2A				61	FS 5				85	CG 1B K			
14	CAM 14				38	EVS 2B				62	FS 6				86	CG 2A F			
15	CAM 15				39	EVS 3A				63	FS 7				87	CG 2A K			
16	CAM 16				40	EVS 3B				64	FS 8				88	CG 2B F			
17	CAM 17				41	EVS 4A				65	FS 9				89	CG 2B K			
18	CAM 18				42	EVS 4B				66	FS 10				90	BUG F			
19	CAM 19				43	EVS 5A				67	FS 11				91	BUG K			
20	CAM 20				44	EVS 5B				68	FS 12				92	TELE F			
21	CAM 21				45	EVS 6A				69	FS 13				93	TELE K			
22	CAM 22				46	EVS 6B				70	FS 14				94	RTR			
23	CAM 23				47	EVS 7A				71	FS 15				95	BLACK			
24	CAM 24				48	EVS 7B				72	FS 16				96	BARS	BARS		

SWITCHER GOP's

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	

PGM 2 IS USED FOR TX.  
SWITCHER OUT 40 IS CLEAN.

MONITOR 10

MONITOR 11

MONITOR 12

MONITOR 13

1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
5	6	7	8	5	6	7	8	5	6	7	8	5	6	7	8
9	10	11	12	9	10	11	12	9	10	11	12	9	10	11	12

DDR:\_\_\_\_  
(KVM8)

DDR:\_\_\_\_  
(KVM9)

DDR:\_\_\_\_  
(KVM10)

DDR:\_\_\_\_  
(KVM13)

MONITOR 14

MONITOR 15

MONITOR 16

1	2	3	4	1	2	3	4	1	2	3	4
5	6	7	8	5	6	7	8	5	6	7	8
9	10	11	12	9	10	11	12	9	10	11	12

DDR:\_\_\_\_  
(KVM LT)

DDR:\_\_\_\_  
(KVM CTR)

DDR:\_\_\_\_  
(KVM RT)