

Production

Ross Carbonite Ultra Switcher

2 M/Es available, 24 input, 10 output

(4) Keyers per ME, (4) DVEs, (4) Chroma Keyers, Still Store

Records

- (1) AJA KiPro HDD Recorder
- (1) AJA HELO H.264 Recorder
- (1) Ross Mira 8-Channel Replay Server

Wired for up to 5 Recorders

Camera Equipment

Wired for up to 6 CCUs

(6) Hitachi Z-HD5000 Hybrid Fiber

TAC Fiber Adapters Available

(2) HH Viewfinders

- (4) 7" Studio LCD Viewfinders
- (2) Fujinon 20x ENG Lenses
- (2) Fuiinon 13x4.5 Wide Anale Lenses

Additional Camera/Lens Options Available

Transmission

2.4m AVL Ku Uplink Antenna with 4-Port Feed

- (2) 300-watt Ku MCL 3200 TWT
- (4) Ateme Kyrion CM5000 Encoder w/ remux
- (6) Adtec RD60 Decoder
- (1) DirecTV HD DSS Receiver
- (1) Apple TV OTT Receiver

Multichannel Mux Available

Communications

RTS Cronus 64-Port Digital Matrix

- (4) RTS PL Channels
- (6) RTS Telephone Interface
- (4) Wet IFB Channels
- (2) Biscuit Boxes

Connectivity

- (2) VoIP Phone Lines
- (2) Verizon Cellular POTS Lines
- (1) Starlink Internet

Terminal Equipment

40x40 BlackMagic Design HD/ASI Router

4x4 Audio Embed/De-Embed

(2) Configurable Integrated Multiviewer Outputs

(2) HD Frame Syncs

Frame syncs on all switcher inputs

Graphics Facilities

(1) Ross XPression Dual Channel - SW ver 10.5

Cable Inventory

(1) 500' TAC-8 Fiber Mult

Audio Facilities

Yamaha TF3 Digital Mixing Console 24 Fader / 32 DSP Inputs 32x16 Analog, 64x64 MADI 16x8 Remote Stagebox

Support

- (2) Fostex Speakers
- (3) Throwdown HD Monitors
- (2) SDI-HDMI Converters
- (2) Fiber Rattler Sets
- (2) Decimator MD-Cross Converters

Power Requirements

- 1 Phase, 80 Amps, 208 Volts
- 2 Hot Legs, 1 Ground (no neutral required) 100' feeder cable with camlock connectors 20kW Generator On Board

Truck Dimensions


GVW - 26,000 Lbs Dimensions - 29ft L, 9ft W, 13.5ft H working footprint

Resolutions & Frame Rates

1080i, 720p 59.94

For mobile unit inquiries, call or text at 877-959-8638 or e-mail contact@tndv.com

Mobile unit equipment complement is subject to change without notice. Additional equipment is available as needed.





TNDV is a division of the Live Media Group Holdings family of companies

















TNDV TELEVISON contactifitndv.com 877-959-TNDV

515 Brick Church Park Drive Nashville TN 37207

MODULATION SAT TRUCK

MODULATION

FILE TNDV MODULATION.3D.2024.vvx

SHEET INFO:

TNDV

MODULATION ISOMETRIC VIEW

UPDATED: Date: 9/10/24 Time: 9:58:16 AM Ver.005

"MODULATION"



1-1 1-2		1-2	1-2		2-1		2-2	
1-3	1-4	1-5	1-6	2-3	2-4	2-5	2-6	
1-7	1-8	1-9	1-10	2-7	2-8	2-9	2-10	

Technical Director

Director

Assistant Director

